



Shower enclosure, art. B4995CROTR
Shower system, art. YA2016.100CRO

The shower accessories have being designed exclusively by **samo**

Spacious shower enclosure, featured by dedicated access area and fixed panel. Shower access area can be totally free with opening 80 cm. with two small opening doors at 180°. Possible installation also without shower tray: a lower gasket allows to isolate the glass panel from the supporting surface.



- **Brass finishing profiles:**
CRO chrome

- **Tempered glass finishing panels:**
TR transparent
TG transparent Grey

Peninsula version, fixed panel and two pivot doors

Article	Glass Width [cm]	Height [cm]	Opening [cm]	Volume [dm ³]	Weight [kg]	Panels finishing	CRO
B4994	92	203	78	346	58	TR TG	
B4995	112	203	78	355	67	TR TG	
B4996	132	203	78	415	76	TR TG	

Kit with N. 2 support brackets 80 cm. is included in the price.

SPECIAL PRODUCTS

Request an estimate by enclosing a drawing and exact measurements: the Customers Office will be able to give confirmation on the feasibility of the article requested, including for projects different than those shown in the chart. It's necessary the confirmation of the order in writing.

Limits of measurements:

Fixed panel

Height max 203 cm. - min. 175 cm.

Width max 160 cm. - min. 70 cm.

Pivot door

Width max 50 cm. - min. 20 cm.

Lower width +20%	Standard price of reference	Greater width +30%	Greater width of 151 cm - Lower height+50%
Lower width - Lower height +30%	Lower height +20%	Greater width - Lower height +40%	

Kit optional

Article	Description	Finishing	CRO
KT1000A1	Kit support bracket 100 cm. (WITH fixing elements wall / glass)	CRO	
KT1500	Kit support bracket 150 cm. (WITHOUT fixing elements wall / glass)	CRO	

Shower-system optional

Article	Description	Height [cm]	Shower head Ø [cm]	Finishing	CRO
YA2015.100CRO	without mixer	85-128	20	CRO	
YA2016.100CRO	with mechanical mixer	85-128	20	CRO	
YA2017.100CRO	with thermostatic mixer	85-128	20	CRO	
YA1015.121CRO	with mechanical mixer	114	20x20	CRO-Stonecristal white	
YA3014.121CRO	with mechanical mixer	114	20	CRO-Stonecristal white	
YA4021.100CRO	with thermostatic mixer	113	40	CRO	
YA4022.100CRO	with thermostatic mixer	113	39	CRO	

Shower column and shower system, see page 334.

Shower curtains optional

Article	Description	01	04	08	23
YA4890T	Silk Shantung				

Available in: **01 White Sincero - 04 Green Vivace - 08 Sand Audace - 23 Violet Spavaldo**, (see page 52).

Shower tray optional

Article	Description	Maximum Overall [cm]	S01
D4990	Shower tray	80x100	
D4991	Shower tray	80x120	
D4992	Shower tray	80x140	

Available in materials: **Stonecristal white=S01**.


Technical info: see on dedicated area.



Installation is available upon request, please refer to the closest Service Centre

Packaging is composed of n° boxes: **3**

Sector	Delivery Ex Works
Sector A	1-2 Weeks
Sector B	3 Weeks
Sector C	4-5 Weeks
Sector N	bespoke and new products




B4995CROTG transparent Grey
D4991S01



Shower enclosure, art. B4990CROTR
 Shower tray, art. D4990S01
 Shower system, art. YA2016.100CRO

The shower accessories have being designed exclusively by **samo**

Spacious shower enclosure, featured by dedicated access area and fixed panel. Shower access area can be totally free with opening cm. 80. Possible installation also without shower tray: a lower gasket allows to isolate the glass panel from the supporting surface.



• **Brass finishing profiles:**
CRO chrome

• **Tempered glass finishing panels:**
TR transparent
TG transparent Grey

Peninsula version, fixed panel

Article	Glass Width [cm]	Height [cm]	Opening [cm]	Volume [dm ³]	Weight [kg]	Panels finishing	CRO
B4990	92	203	78	133	42	TR TG	
B4991	112	203	78	174	52	TR TG	
B4992	132	203	78	246	62	TR TG	

Kit with N. 2 support brackets 80 cm. is included in the price.

SPECIAL PRODUCTS

Request an estimate by enclosing a drawing and exact measurements: the Customers Office will be able to give confirmation on the feasibility of the article requested, including for projects different than those shown in the chart. It's necessary the confirmation of the order in writing.

Limits of measurements:

Height max 203 cm. - min. 175 cm.

Width max 160 cm. - min. 70 cm.

Lower width +20%	Standard price of reference	Greater width +30%	Greater width of 151 cm - Lower height+50%
Lower width - Lower height +30%	Lower height +20%	Greater width - Lower height +40%	

Kit optional

Article	Description	L01	ULU	SAS-A06-A40
KT4900	Vertical profile (floor-ceiling) (see pag. 53)			

Article	Description	Finishing	CRO
KT1000A1	Kit support bracket 100 cm. (WITH fixing elements wall / glass)	CRO	
KT1500	Kit support bracket 150 cm. (WITHOUT fixing elements wall / glass)	CRO	

Shower-system optional

Article	Description	Height [cm]	Shower head Ø [cm]	Finishing	CRO
YA2015.100CRO	without mixer	85-128	20	CRO	
YA2016.100CRO	with mechanical mixer	85-128	20	CRO	
YA2017.100CRO	with thermostatic mixer	85-128	20	CRO	
YA1015.121CRO	with mechanical mixer	114	20x20	CRO-Stonecristal	
YA3014.121CRO	with mechanical mixer	114	20	CRO-Stonecristal	
YA4021.100CRO	with thermostatic mixer	113	40	CRO	
YA4022.100CRO	with thermostatic mixer	113	39	CRO	

Shower column and shower system, see page 334.

Shower curtains optional

Article	Description	01	04	08	23
YA4890T	Silk Shantung				

Available in: **01 White Sincero** - **04 Green Vivace** - **08 Sand Audace** - **23 Violet Spavaldo**, (see page 52).

Shower tray optional

Article	Description	Maximum Overall [cm]	S01
D4990	Shower tray	80x100	
D4991	Shower tray	80x120	
D4992	Shower tray	80x140	

Available in materials: **Stonecristal white=S01**.


Technical info: see on dedicated area.



Installation is available upon request, please refer to the closest Service Centre

Packaging is composed of n° boxes: **1**

Sector	Delivery Ex Works
Sector A	1-2 Weeks
Sector B	3 Weeks
Sector C	4-5 Weeks
Sector N	bespoke and new products



B4992CROTG transparent Grey
D4992S01